

Showcase® Custom Vinyl
Windows and Doors
1702 Cullen Blvd.
Houston, Texas 77023
Phone: 713-926-8500
www.showcasewindows.com



Manufacturer's Certification Statement

Dear Customer,

The American Recovery and Reinvestment Act of 2009 includes tax credits for qualifying window and door replacements placed in service in 2009 and 2010.

The taxpayer is entitled to a tax credit in the amount of 30% of the cost (not to exceed \$1,500) for all window and door replacements which meet the following requirements:

1. The windows and doors must have a U-Factor \leq .30 and SHGC \leq .30.
2. The windows and doors must be installed and ready for use between January 1, 2009 and December 31, 2010.
3. The products must be for the taxpayer's principal residence
4. The maximum amount that can be claimed between 2009 and 2010 for most qualifying home improvement products is \$1,500.
5. The taxpayer must have a Manufacturer Certification Statement to qualify.
6. The taxpayer should save their receipts and the MCS. We also recommend saving the NFRC label from one of the windows or doors showing the U-factor and SHGC.
7. The improvements made in 2009 will be claimed on your 2009 taxes (filed by April 15, 2010) — use IRS Tax Form 5695 (2009 version) — it will be available late 2009 or early 2010.
8. Windows and Doors qualify for existing homes only, not new construction.

Please view the following EnergyStar.gov webpage if you have any more questions about the tax credit:
http://www.energystar.gov/index.cfm?c=products.pr_tax_credits#s1

The Showcase products set forth on the following page qualify for the 2009/2010 Federal Tax Credit described above.

Gerald Bodzy, President
Showcase® Custom Vinyl Windows and Doors
March 2009

Qualified Federal Tax Credit Windows

Style	Series	Glass	Gas	U-Factor	Condensation Resistance	Solar Heat Gain Coefficient	Visible Transmittance	DP Rating
Single Hung	200	366	Argon	0.30	57	0.22	0.52	40
Single Hung	200	270	Argon	0.30	57	0.30	0.56	40
Picture Window	200	366	Argon	0.29	59	0.23	0.54	55
Picture Window	500	366	Argon	0.29	58	0.22	0.49	50
Picture Window	500	366	Argon	0.29	58	0.22	0.49	50
Picture Window	500	366	Argon	0.29	58	0.22	0.49	50*
Picture Window	500	366	Argon	0.27	61	0.22	0.51	50
Casement	500	366	Argon	0.30	57	0.28	0.46	-
Casement	500	366	Argon	0.30	57	0.28	0.46	-
Casement	500	366	Argon	0.30	57	0.27	0.46	60*
Casement	500	366	None	0.30	57	0.19	0.43	-
Casement	500	366	Argon	0.27	60	0.18	0.43	-
Casement	500	270	Argon	0.30	57	0.28	0.46	-
Casement	500	270	Argon	0.30	57	0.28	0.46	-
Casement	500	270	Argon	0.30	57	0.27	0.46	60*
Casement	500	270	Argon	0.28	60	0.28	0.48	-
Picture Window	700	366	Argon	0.27	58	0.22	0.52	55
Casement	700	366	Argon	0.28	61	0.20	0.46	-
Casement	700	270	Argon	0.28	61	0.30	0.52	-
Awning	700	366	Argon	0.28	60	0.20	0.46	-
Awning	700	270	Argon	0.28	60	0.30	0.52	-
Slider	800	366	Argon	0.30	57	0.21	0.50	-
Double Hung	800	366	Argon	0.30	56	0.21	0.50	30