

SOUND STATISTICS

	Test #	Glass Configuration			Test Results		
		Interior	Airspace	Exterior	STC	Def.	OITC
Horiz. Slider	1	1/8" Annealed	17/32	1/8" Annealed	27	23	23
	2	1/8" Annealed	3/8"	1/4" Lam.	31	26	27
	3	1/4" Lam.	9/32"	1/4" Lam.	30	32	26
Picture Window	4	1/8" Annealed	17/32	1/8" Annealed	29	30	23
	5	1/8" Annealed	3/8"	1/4" Lam.	33	28	26
	6	1/4" Lam.	9/32"	5/16" Lam.	36	25	29
Single Hung	7	1/8" Annealed	17/32	1/8" Annealed	30	28	23
	8	1/8" Annealed	3/8"	1/4" Lam.	34	31	28
	9	Oper. 1/4" Lam. Fix. 9/32" Lam.	9/32" 7/32"	1/4" Lam. 9/32" Lam	34	23	29

Test #		Glass Configuration			Test Results		
		Interior	Airspace	Exterior	STC	Def.	OITC
1	800 Series Double Hungs	1/8"	1/2"	1/8"	<i>31</i>	<i>27</i>	<i>25</i>
2		1/8"	3/8"	1/4" Lam	<i>32</i>	<i>31</i>	<i>28</i>
3		1/4" Lam	9/32"	1/4" Lam	<i>34</i>	<i>25</i>	<i>30</i>
4							
5	700 Series PW	1/8"	1/2"	1/8"	<i>31</i>	<i>26</i>	<i>25</i>
6		1/8"	3/8"	1/4" Lam	<i>35</i>	<i>23</i>	<i>29</i>
7		1/4" Lam	9/32"	1/4" Lam	<i>37</i>	<i>28</i>	<i>30</i>
8	700 Series CA	1/8"	3/8"	1/4" Lam	<i>36</i>	<i>29</i>	<i>29</i>
9		1/8"	17/32"	1/8"	<i>30</i>	<i>29</i>	<i>24</i>

Please Contact a local representative if you have any further questions regarding our statistics and product qualities.